

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

CSA TSCA: 8008-52-4

Product name: Coriander Herb Essential Oil Taxonomy: Coriandrum sativum L.

Product code: CS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ingredient used in Flavour and/or Fragrance preparations

1.3. Details of the supplier of the safety data sheet

Registered company name: HERBAL FAMILY Group.

Address: Industrial zone B & C piece 203 - Obour Cuty, Cairo - Egypt. .18111...

Telephone: +202 4478 7540/48. Fax: +202 4478 8899.

hfg@herbalfamilyegypt.com www.herbalfamilyegypt.com

Distributor: HERBAL FAMILY France.

Address: 400 Avenue Roumanille Quartier Des Templiers Zac St. Philippe II -06410 Biot B.P 06906 Sophia Antipolis

Tèl: 003 492 60 7654

1.4. Emergency telephone number: +2 0128 403 1111

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS02

GHS07

Signal Word:

WARNING

Product identifiers (list of classified components):

EC 201-134-4 LINALOOL EC 203-983-6 DODECANAL EC 201-291-9 ALPHA PINENE EC 203-341-5 ACETATE GERANYLE

EC 227-813-5 D-LIMONENE EC 204-872-5 BETA-PINENE

Hazard statements:

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower]

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

The substance does not fulfil the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

CAS: 8008-52-4

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 3913-81-3	GHS07		25 - 50
EC: 223-474-2	Wng		
	Skin Irrit. 2, H315		
TRANS-2-DECEN-1-AL FCC	Eye Irrit. 2, H319		
CAS: 112-31-2	GHS07		10 - 25
EC: 203-957-4	Wng		
	Eye Irrit. 2, H319		
DECANAL	Aquatic Chronic 3, H412		
CAS: 78-70-6	GHS07		10 - 25
EC: 201-134-4	Wng		
	Skin Irrit. 2, H315		
LINALOOL	Skin Sens. 1B, H317		
	Eye Irrit. 2, H319		
CAS: 112-44-7	GHS07		0 - 2.5
EC: 203-972-6	Wng		
	Skin Irrit. 2, H315		
UNDECANAL			
CAS: 124-13-0	GHS07, GHS09, GHS02		0 - 2.5
EC: 204-683-8	Wng		
	Flam. Liq. 3, H226		
OCTANAL	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
	Aquatic Chronic 2, H411		
CAS: 111-84-2		[1]	0 - 2.5
EC: 203-913-4			
NONANE			
CAS: 65405-70-1			0 - 2.5
EC: 265-741-6	Wng		
	Aquatic Chronic 3, H412		
TRANS-4-DECEN-1-AL			
CAS: 112-54-9	GHS07		0 - 2.5
EC: 203-983-6	Wng		
	Skin Irrit. 2, H315		
DODECANAL	Skin Sens. 1, H317		
	Eye Irrit. 2, H319		

CAS: 80-56-8	CAC 00.56.0	CHGOZ CHGOO CHGOO CHGOO	F13	0.25
ALPHAPINENE Film. Liq. 3, H226 Asp. Tox. I. H304 Asp. Tox. I. H304 Asp. Tox. I. H304 Asp. Tox. I. H304 Asp. Tox. I. H305 Asp. Tox. I. H304 Asp. Tox. I. H306 Asp. Tox. I. H306 Asp. Tox. I. H306 Asp. Tox. I. H307 Asp. Tox. I. H307 Asp. Tox. I. H308 Asp. Tox. I. H308 Asp. Tox. I. H308 Asp. Tox. I. H309 Asp. Tox.				0 - 2.3
ALPHA PINENE Acute Tox. 4, H302 App. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 2, H412 Acp. 2, H304 App. 3, H318 Acute Tox. 4, H302 App. 3, H318 Acute Tox. 4, H303 Acute Tox. 4, H303 Acute Tox. 4, H304 Acute Tox. 4, H305 Acute Tox. 4, H305 Acute Tox. 4, H305 Acute Tox. 4, H305 Acute Tox. 4, H306 Acute Tox. 4, H307 Acute Tox. 4	EC: 201-291-9			
Asp. Tos. I. H304 Skin Fritz 2, H315 Skin Sens. IB, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 Gliss, Gilso2 Ec: 20.794-6 Def Flam. Liq. 3, H226 Aap. Tos. I. H304 Aap. Tos. I. H305 Aap. Tos. I. H304 Aap. Tos. I. H305 Aap. Tos. I. H306 Aap. Tos. I. H307 Aap. Tos. I. H307 Aap. Tos. I. H307 Aap. Tos. I. H307 Aap. Tos. I. H308 Aap. Tos. I. H308 Aap. Tos. I. H308 Aap. Tos. I. H308 Aap. Tos. I. H309 Aap. Tos. I. H300 A				
Skin First. 2, H315 Skin Sens. IB, H317 Aquatic Actute 1, H400 M Actute = 1 Aquatic Chronic 1, H410 M Actute = 1 Aquatic Chronic 2, H410 M Actute = 1 Aquatic Chronic 2, H410 M Actute = 1 Aquatic Chronic 3, H410 M Actute = 1 Aquatic Chronic 3, H410 M Actute = 1 Aquatic Chronic 3, H412 M Actute 1 Aquatic Chronic 2, H411 M Actute 1 Aquatic Chronic 2, H411 M Actute 1 Aquatic Chronic 3, H412 M Actute 1 Aquatic Chronic 2, H411 M Actute 1 Aquatic Chronic 3, H412 M Actute 1, H410 Aquatic Chronic 1, H410	ALPHA PINENE	Acute Tox. 4, H302		
Skin First 2, H315 Skin Sens. IB, H317 Aquatic Actute 1, H400 M Actute = 1 Aquatic Chronic 1, H410 M Actute = 1 Aquatic Chronic 2, H411 Aquatic Chronic 3, H42 GE: 202-794-6 Flam. Liq 3, 11226 GAMMA TERPINENE Asp. Tox. 1, H304 Repr. 2, H361 GIIS07		Asp. Tox. 1, H304		
Skin Sens. 1B, H317 Aquatic Actual: 1,1400 M Actual = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 99-85-4 GITS08, GITS02 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 CAS: 112-30-1 GITS08, GITS09 CAS: 12-30-1 GITS08, GITS09, GITS08, GITS09 CAS: 12-30-1 GITS08, GITS09, GITS08, GITS09 GITS08, GITS09 CAS: 12-30-1 GITS08, GITS09, GITS08, GITS09 GITS08, GITS09, GITS08, GITS09 GITS08, GITS09, GITS08,				
Aquatic Acture 1, H400				
MACHUE = 1 Aquatic Chronic 1, 1410 M Chronic = 1				
Aquatic Chronic 1, H410 M. Chronic = 1				
M Chronic = 1				
CAS: 99-85-4 GHS08, GHS02 Dgr Flam. Liq. 3, H226 Agaptate Chronic 2, H361 CAS: 112-30-1 GHS07 Equilibrium		Aquatic Chronic 1, H410		
CAS: 99-85-4 GHS08, GHS02 Dgr Flam. Liq. 3, H226 Agaptate Chronic 2, H361 CAS: 112-30-1 GHS07 Equilibrium		M Chronic = 1		
EC: 202-794-6 GAMMA TERPINENE GAMMA TERPINENE GAMMA TERPINENE CAS: 112-30-1 EC: 203-956-9 EVE Irit. 2, H361 CAS: 76-22-2 GHS07, CHS05, GHS09, GHS08, GHS02 EVE Irit. 2, H319 Aquatic Chronic 3, H412 CAS: 76-22-2 GHS07, CHS05, GHS09, GHS08, GHS02 EVE Irit. 2, H315 EVE Irit. 2, H316 Aquatic Chronic 2, H411 CAS: 111-87-5 GHS07 CAS: 111-87-5 GHS07 CAS: 105-87-3 GHS07 EVE Irit. 2, H319 Aquatic Chronic 3, H412 CAS: 105-87-3 GHS07 CAS: 193-87-6 EVE Irit. 2, H315 Skin Irrit. 2, H315 Skin Irrit. 2, H315 Skin Irrit. 2, H315 AQUATIC CHRONIC CAS: 98-87-6 GHS09, GHS08, GHS02 EVE Irit. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 98-87-5 EVE Irit. 3, H226 App. Tox. 1, H304 Repr. 2, H315 Skin Irit. 2, H315 Aquatic Chronic 2, H411 CAS: 98-92-7-5 GHS08, GHS02, GHS07, GHS09 EVE Irit. 1, H304 Repr. 2, H315 Skin Irit. 2, H316 Apartic Chronic 1, H410	CAS: 99-85-4		[2]	0 - 2 5
Flam. Lig. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361			[[-]	0 2.3
GAMMA TERPINENE Asp. Tox. 1, H304 Rept 2, H361	EC. 202-794-0			
Rept. 2, H361 GHS07 GHS07 CS: 123-956-9 Eye Irri. 2, H319 CAS: 162-22 GHS07, GHS08, GHS08, GHS02 GHS08, GHS045-0 Eye Irri. 2, H319 CAS: 76-22-2 GHS07, GHS08, GHS08, GHS02 GHS08, GHS02 GHS08, GHS045-0 Eye Irri. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H302 Skin Irri. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 2, H371 Aquatic Chronic 2, H411 CAS: 118-87-5 GHS07 Eye Irri. 2, H319 Aquatic Chronic 3, H412 CAS: 105-87-3 GHS07 GHS08, GHS09 GHS08, GHS09 CS: 203-917-6 Eye Irri. 2, H319 Aquatic Chronic 3, H412 CAS: 105-87-3 GHS07 GHS09, GHS08, GHS09 CS: 203-941-5 GHS07, GHS08, GHS02 CS: 203-941-5 GHS09, GHS07, GHS08, GHS09, GH	CALCAL FEED DO VENTE			
CAS: 112-30-1 GHS07 Eve Irrit. 2, H319 LDECANOI. Aquatic Chronic 3, H412 CAS: 76-22-2 GHS07, GHS05, GHS09, GHS08, GHS02 [1] 0 - 2.5	GAMMA TERPINENE			
EC: 203-956-9 Wng Eye Irrit 2, H319 Aquatic Chronic 3, H412				
EC: 203-956-9 Wng Eye Irrit. 2, H319 Aquatic Chronic 3, H412 CAS: 76-22-2 GHS07, GHS08, GHS09, GHS08, GHS02 [1] 0 - 2.5 Dgr GHS07, GHS09, GHS09, GHS08, GHS02 [1] 0 - 2.5 Dgr Alian. Sol. 2, H228 Alian. Sol. 2, H228 1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN. 2 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE. 2, H371 Aquatic Chronic 2, H411 CAS: 111-87-5 GHS07 [1] 0 - 2.5 EC: 203-917-6 Wng Eye Irrit. 2, H319 Aquatic Chronic 3, H412 CAS: 105-87-3 GHS07 Wng Skin Irrit. 2, H315 ACETATE GERANYLE Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 GHS09, GHS08, GHS02 [2] 0 - 2.5 EC: 202-796-7 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 GHS08, GHS02, GHS07, GHS09 [1] 0 - 2.5 EC: 227-813-5 Dgr Asp. Tox. 1, H304 Repr. 2, H306 Aquatic Chronic 3, H312 CAS: 127-91-3 GHS02, GHS07, GHS09 [1] 0 - 2.5 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 1, H410 Aquatic Chronic 1, H4100 Aducte = 1 Aquatic Chronic 1, H4100 Aquatic Chro	CAS: 112-30-1	GHS07	[1]	0 - 2.5
I-DECANOL Aquatic Chronic 3, H412 Aquatic Chronic 3, H412	EC: 203-956-9	Wng		
1-DECANOL				
CAS: 76-22-2 EC: 200-945-0 Dgr Flam. Sol. 2, H228 1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2 ONE Acute Tox. 4, H302 Skin Irnt. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H302 Skin Irnt. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 2, H371 Aquatic Chronic 2, H411 CAS: 111-87-5 GRS07 Wng Eye Irrit. 2, H319 1-OCTANOL CAS: 105-87-3 GC: 203-341-5 ACETATE GERANYLE Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 GIS90, GHS08, GIS02 PARACYMENE AS, FOX. 1, H304 Asp. Tox. 1, H304 Asp. Tox. 1, H304 Asp. Tox. 1, H304 D-LIMONENE GRS098-27-5 GC: 227-813-5 Dgr Asp. Tox. 1, H304 D-LIMONENE GRS098-27-5 GGIS02, GHS07, GHS09 Dgr Asp. Tox. 1, H304 Asp. Tox. 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 GCAS: 127-91-3 GGIS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 GCAS: 127-91-3 GGIS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic 1, H410	1 DECANOL			
EC: 200-945-0 1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2, Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 2, H371 Aquatic Chronic 2, H411 CAS: 111-87-5 EC: 203-917-6 EYe Dam. 1, H319 Aquatic Chronic 3, H412 CAS: 105-87-3 GHS07 EC: 203-341-5 Wng Skin Irrit. 2, H319 ACETATE GERANYLE ACETATE GERANYLE ACETATE GERANYLE ACETATE GERANYLE ASkin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 GHS09, GHS08, GHS02 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Rept. 2, H361 Aquatic Chronic 2, H411 CAS: 998-27-5 GHS08, GHS07, GHS09 Dyr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Rept. 2, H361 Aquatic Chronic 2, H411 CAS: 989-27-5 GHS08, GHS02, GHS07, GHS09 Dyr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 GCAS: 127-91-3		Aquatic Chronic 5, fi412	F13	0.25
Fiam. Sol. 2, H228				0 - 2.5
1.7.7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2 ONE Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 2, H371 Aquatic Chronic 2, H411 CAS: 111-87-5 EC: 203-917-6 EV Mrg Eye Irrit. 2, H319 1-OCTANOL Aquatic Chronic 3, H412 CAS: 105-87-3 CKISOR Skin Irrit. 2, H315 ACETATE GERANYLE Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 GHS09, GHS09, GHS08, GHS02 EC: 202-796-7 EC: 202-796-7 Parm. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 989-27-5 CKISOR, GHS02, GHS07, GHS09 Der Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 CKISOR, GHS02, GHS07, GHS09 Der Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Chronic 1, H410	EC: 200-945-0			
1.7.7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2 ONE Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 2, H371 Aquatic Chronic 2, H411 CAS: 111-87-5 EC: 203-917-6 EV Mrg Eye Irrit. 2, H319 1-OCTANOL Aquatic Chronic 3, H412 CAS: 105-87-3 CKISOR Skin Irrit. 2, H315 ACETATE GERANYLE Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 GHS09, GHS09, GHS08, GHS02 EC: 202-796-7 EC: 202-796-7 Parm. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 989-27-5 CKISOR, GHS02, GHS07, GHS09 Der Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 CKISOR, GHS02, GHS07, GHS09 Der Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Chronic 1, H410		Flam. Sol. 2, H228		
ONE Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 2, H371 Aquatic Chronic 2, H411 CAS: 111-87-5 GHS07 EC: 203-917-6 Wng	1.7.7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-			
Eye Dam. I. H318				
Acute Tox. 4, H332 STOT SE 2, H371 Aquatic Chronic 2, H411	-OIVE			
STOT SE 2, H371 Aquatic Chronic 2, H411				
Aquatic Chronic 2, H411				
CAS: 111-87-5 EC: 203-917-6 Wng Eye Irrit. 2, H319 Aquatic Chronic 3, H412 CAS: 105-87-3 CAS: 99-87-6 CAS: 99-87-6 CAS: 99-87-6 CAS: 202-796-7 CAS: 105-87-7 CAS: 105-87-				
EC: 203-917-6		Aquatic Chronic 2, H411		
EC: 203-917-6	CAS: 111-87-5		[1]	0 - 2.5
Eye Trrit. 2, H319			'	
1-OCTANOL	EC. 203 717 0			
CAS: 105-87-3 GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 GHS09, GHS02 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 GHS08, GHS02, GHS07, GHS09 CAS: 127-91-3 GHS08, GHS02 CAS: 127-91-3 CAS:	1 OCTANOI			
EC: 203-341-5 ACETATE GERANYLE Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 EC: 202-796-7 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 EC: 227-813-5 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410				
Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412				0 - 2.5
ACETATE GERANYLE Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 EC: 202-796-7 EC: 202-796-7 EC: 202-796-7 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 EC: 227-813-5 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 BETA-PINENE Skin Sens. 1B, H317 Aquatic Acute 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Chronic = 1 Apartic Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Apartic Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Acute 1, H400 M Acute = 1 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	EC: 203-341-5	Wng		
ACETATE GERANYLE Skin Sens. 1B, H317 Aquatic Chronic 3, H412 CAS: 99-87-6 EC: 202-796-7 EC: 202-796-7 EC: 202-796-7 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 EC: 227-813-5 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 BETA-PINENE Skin Sens. 1B, H317 Aquatic Acute 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Chronic = 1 Apartic Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Apartic Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Acute 1, H400 M Acute = 1 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410		Skin Irrit. 2, H315		
Aquatic Chronic 3, H412	ACETATE GERANVLE			
CAS: 99-87-6 GHS09, GHS08, GHS02 [2] 0 - 2.5	TIGETH TE GERMANIES			
EC: 202-796-7 PARACYMENE Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 EC: 227-813-5 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Chronic = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 BETA-PINENE Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Chronic = 1 Aquatic Chronic 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Acute = 1 Aquatic Chronic 1, H410	CAS: 00 97 ([2]	0.25
PARACYMENE			[[2]	0 - 2.3
Asp. Tox. 1, H304 Repr. 2, H361 Aquatic Chronic 2, H411	EC: 202-796-7			
Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 GHS08, GHS07, GHS09 [1] 0 - 2.5 EC: 227-813-5 Dgr		Flam. Liq. 3, H226		
Repr. 2, H361 Aquatic Chronic 2, H411 CAS: 5989-27-5 GHS08, GHS07, GHS09 [1] 0 - 2.5 EC: 227-813-5 Dgr	PARACYMENE	Asp. Tox. 1, H304		
Aquatic Chronic 2, H411 CAS: 5989-27-5 EC: 227-813-5 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 BETA-PINENE Aquatic Acute 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410				
CAS: 5989-27-5 GHS08, GHS02, GHS07, GHS09 [1] 0 - 2.5				
EC: 227-813-5 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 BETA-PINENE EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Application of the properties of the pr	CAS, 5000 27 5		[1]	0.25
Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410				0 - 2.5
D-LIMONENE Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 GHS02, GHS07, GHS08, GHS09 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 Aquatic Chronic 1, H4	EC: 227-813-5			
D-LIMONENE Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 GHS02, GHS07, GHS08, GHS09 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 Aquatic Chronic 1, H4				
Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	D-LIMONENE	Flam. Liq. 3, H226		
Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410				
Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 BETA-PINENE Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410				
M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410				
Aquatic Chronic 1, H410 M Chronic = 1 CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410				
M Chronic = 1				
CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410		Aquatic Chronic 1, H410		
CAS: 127-91-3 EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410		M Chronic = 1		
EC: 204-872-5 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	CAS: 127-91-3		[1]	0 - 2.5
Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410			[-]	
Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	LC. 207-0/2-3			
Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	DETA DIVENIE			
Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410	BETA-PINENE			
Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410				
Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410		Skin Sens. 1B, H317		
M Acute = 1 Aquatic Chronic 1, H410				
Aquatic Chronic 1, H410				
M Chronic = I				
		M Chronic = 1		

CAS: 111-65-9	GHS07, GHS09, GHS08, GHS02	[1]	0 - 2.5	
EC: 203-892-1	Dgr			
	Flam. Liq. 2, H225			
OCTANE	Asp. Tox. 1, H304			
	Skin Irrit. 2, H315			
	STOT SE 3, H336			
	Aquatic Acute 1, H400			
	MAcute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

Information on ingredients:

- [1] Substance for which maximum workplace exposure limits are available.
- [2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

In the event of a fire, use:

No data available.

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use:

No data available.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the substance is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this substance.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this substance.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the substance is used.

Never open the packages under pressure.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME:	VME:	Excess	Notes
112-30-1		10 ppm		1 (I)
		66 mg/m^3		
111-87-5		10 ppm		1(Î TM)
		54 mg/m^3		
5989-27-5		5 ppm		4(II)
		28 mg/m^3		

- France (INRS - ED984 / 2019-1487):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
111-84-2	200	1050	-	-	-	84
76-22-2	2	12	-	-	-	-
111-65-9	300	1450	-	-	-	84

- Spain (Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT), 2017):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
111-84-2	200 ppm			VLBm. ae	
	1065 mg/m ³				
80-56-8	20 ppm			Sen	
	113 mg/m ³				
76-22-2	2 ppm	3 ppm			
	13 mg/m ³	19 mg/m ³			
5989-27-5	30 ppm			Sen. via	
	168 mg/m ³			dermica	
127-91-3	20 ppm			Sen	
	113 mg/m ³				
111-65-9	300 ppm				
	1420 mg/m ³				

- UK / WEL (Workplace exposure limits, EH40/2005, 2011):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
76-22-2	2 ppm	3 ppm			
	13 mg/m3	19 mg/m3			

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: Not relevant. Boiling point/boiling range: Not specified. Flash Point: 57.00 °C. Vapour pressure (50°C): Not relevant. Density: CoA Water solubility: Insoluble. Not specified. Melting point/melting range: Not specified. Self-ignition temperature: Decomposition point/decomposition range: Not specified.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

May cause an allergic reaction by skin contact.

11.1.1. Substances

No toxicological data available for the substances.

11.1.2 Complex substance

No toxicological data available for the substances.

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 123-35-3: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2 Complex substance

No aquatic toxicity data available for the substances.

12.2. Persistence and degradability

12.2.1. Substances

1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2-ONE (CAS: 76-22-2)

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2020).

14.1. UN number

1993

14.2. UN proper shipping name

UN1993=FLAMMABLE LIQUID, N.O.S.

(trans-2-decen-1-al fcc)

14.3. Transport hazard class(es)

- Classification:



14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	F1	III	3	30	5 L	274 601	E1	3	D/E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation	
								Handling		
	3	-	III	5 L	F-E, S-E	223 274 955	E1	Category A	-	
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	3	-	III	355	60 L	366	220 L	A3	E1	
	3	-	III	Y344	10 L	-	-	A3	E1	1

Y344 For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)
- Container information:

No data available.

- Particular provisions:

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
Н336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child .
H371	May cause damage to organs .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations:

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$

GHS02: Flame

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.