

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1. Product identifier

CSA TSCA: 8014-13-9 Product name: CUMIN ESSENTIAL OIL Taxonomy: Cuminum cyminum L. Product code : CC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Ingredient used in Flavour and/or Fragrance preparations.

#### **1.3. Details of the supplier of the safety data sheet**

Registered company name : HERBAL FAMILY Group. Address : Industrial zone B & C piece 203 - Obour Cuty, Cairo - Egypt. .18111... Telephone : +202 4478 7540/48. Fax : +202 4478 8899. hfg@herbalfamilyegypt.com www.herbalfamilyegypt.com Distributor : HERBAL FAMILY France. Address : 400 Avenue Roumanille Quartier Des Templiers Zac St. Philippe II -06410 Biot B.P 06906 Sophia Antipolis Tèl : 003 492 60 7654

# 1.4. Emergency telephone number : +2 0128 403 1111

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

# SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Reproductive toxicity, Category 2 (Repr. 2, H361).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :





GHS07



GHS08

Signal Word : DANGER

Product identifiers (list of classified components) : EC 202-794-6 GAMMA TERPINENE EC 204-872-5 **BETA-PINENE** EC 202-796-7 PARACYMENE EC 224-052-0 (E)-ANÉTHOLE EC 201-291-9 ALPHA PINENE EC 227-813-5 **D-LIMONENE** EC 207-431-5 EUCALYPTOL EC 201-134-4 LINALOOL Hazard statements : H226

Flammable liquid and vapour.

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child .
H411	Toxic to aquatic life with long lasting effects.
Precautionary statements - Prevention	:
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statements - Response :	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P331	Do NOT induce vomiting.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

# 2.3. Other hazards

The substance does not fulfil the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1. Substances

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 122-03-2	GHS07		15 - 28
EC: 204-516-9	Wng		
	Acute Tox. 4, H302		
CUMIN ALDÉHYDE			
CAS: 99-85-4	GHS08, GHS02	[2]	12 - 22
EC: 202-794-6	Dgr		
	Flam. Liq. 3, H226		
GAMMA TERPINENE	Asp. Tox. 1, H304		
	Repr. 2, H361		
CAS: 127-91-3	GHS02, GHS07, GHS08, GHS09	[1]	10 - 20
EC: 204-872-5	Dgr		
	Flam. Liq. 3, H226		
BETA-PINENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 99-87-6	GHS09, GHS08, GHS02	[2]	2.5 - 10
EC: 202-796-7	Dgr	1-1	
	Flam. Liq. 3, H226		
PARACYMENE	Asp. Tox. 1, H304		
	Repr. 2, H361		
	Aquatic Chronic 2, H411		
CAS: 4180-23-8	GHS07		0 - 2
EC: 224-052-0	Wng		0 2
EC. 221 052 0	Skin Sens. 1B, H317		
E)-ANÉTHOLE			
CAS: 536-60-7	GHS07		0 - 2
EC: 208-640-4	Wng		° -
200 010 1	Acute Tox. 4, H302		
ALCOOL PARA-CUMINIQUE	110000 10/1. 1, 11502		
CAS: 123-35-3	GHS02, GHS07, GHS08, GHS09		0 - 2.5
EC: 204-622-5	Dgr		
	Flam. Liq. 3, H226		
MYRCENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	IN ACULE - I		

CAS: 80-56-8	GHS07, GHS09, GHS08, GHS02	[1]	0 - 2.5
EC: 201-291-9	Dgr	[-]	• =
201 201 201 7	Flam. Liq. 3, H226		
ALPHA PINENE	Acute Tox. 4, H302		
ALI HAT INLINE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
CAS: 5989-27-5	GHS08, GHS02, GHS07, GHS09	[1]	0 - 2.5
EC: 227-813-5	Dgr		
	Asp. Tox. 1, H304		
D-LIMONENE	Flam. Liq. 3, H226		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 79-92-5	GHS07, GHS09, GHS02		0 - 2.5
EC: 201-234-8	Dgr		0 - 2.5
EC: 201-254-6	Flam. Sol. 1, H228		
CAMPHENE	Eye Irrit. 2, H319		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
CAS: 470-82-6	GHS07, GHS02		0 - 2.5
EC: 207-431-5	Wng		
	Flam. Liq. 3, H226		
EUCALYPTOL	Skin Sens. 1B, H317		
CAS: 78-70-6	GHS07		0 - 2.5
EC: 201-134-4	Wng		
	Skin Irrit. 2, H315		
LINALOOL	Skin Sens. 1B, H317		
LINLOOL	Eye Irrit. 2, H319		
CAS: 13466-78-9	GHS07, GHS09, GHS08, GHS02	[1]	0 - 2.5
			0 - 2.3
	llor		
EC: 236-719-3	Dgr Flom Lie 2 H226		
EC: 236-719-3	Flam. Liq. 3, H226		
	Flam. Liq. 3, H226 Asp. Tox. 1, H304		
EC: 236-719-3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315		
EC: 236-719-3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317		
EC: 236-719-3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Acute Tox. 4, H332		
EC: 236-719-3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Acute Tox. 4, H332 Aquatic Acute 1, H400		
EC: 236-719-3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Acute Tox. 4, H332 Aquatic Acute 1, H400 M Acute = 1		
EC: 236-719-3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Acute Tox. 4, H332 Aquatic Acute 1, H400		

#### Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

#### 4.1. Description of first aid measures

#### In the event of exposure by inhalation :

Remove to fresh air. Give oxygen and call a physician.

#### In the event of splashes or contact with eyes :

Flush with water for 15 min. Seek medical help if necessary.

#### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5 : FIREFIGHTING MEASURES**

# Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

#### 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

No data available.

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

# SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the substance is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this substance.

Avoid exposure to pregnant women and warn women of child-bearing age of the possible risks

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

#### **Fire prevention :**

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Never inhale this substance.

Prevent the accumulation of electrostatic charges with connections to earth.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

# **Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid exposure - obtain special instructions before use.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the substance is used. Never open the packages under pressure.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

#### Packaging

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

### SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

# Occupational exposure limits :

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME :	VME :	Excess	Notes
5989-27-5		5 ppm		4(II)
		28 mg/m <sup>3</sup>		
- Spain (Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT), 2017) :				

span (monato i actorati actorganiana chigicite en el macajo (montri), 2017) ?						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
127-91-3	20 ppm			Sen		
	113 mg/m <sup>3</sup>					
80-56-8	20 ppm			Sen		
	113 mg/m <sup>3</sup>					
5989-27-5	30 ppm			Sen. via		
	168 mg/m <sup>3</sup>			dermica		
13466-78-9	20 ppm			Sen		
	$113 \text{ mg/m}^3$					

# 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties :

- Impervious gloves in accordance with standard EN374

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### - Respiratory protection

Where ventilation (LEV) is inadequate to prevent any inhalation of substances, use adequate respiratory apparatus.

# SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not specified.
Flash Point :	55.00 °C.
Vapour pressure (50°C) :	Not relevant.
Density :	CoA
Water solubility :	Insoluble.
Viscosity:	v < 7 mm2/s (40°C)
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.

#### 9.2. Other information

No data available.

#### SECTION 10 : STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

#### **10.4.** Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

#### Avoid :

- accumulation of electrostatic charges.

- heating
- heat
- flames and hot surfaces

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

# SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May cause an allergic reaction by skin contact.

Suspected human reproductive toxicant.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

### 11.1.2 Complex substance

#### Aspiration hazard :

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

# Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.

# SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

#### 12.1. Toxicity

#### 12.1.2 Complex substance

No aquatic toxicity data available for the substances.

#### 12.2. Persistence and degradability

#### 12.2.1. Substances

DELTA-3-CARENE (CAS: 13466-78-9) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

(E)-ANÉTHOLE (CAS: 4180-23-8) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

# **12.3. Bioaccumulative potential**

No data available.

12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

# 12.6. Other adverse effects

No data available.

#### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2020).

#### 14.1. UN number

1169

# 14.2. UN proper shipping name

UN1169=EXTRACTS, AROMATIC, LIQUID

#### 14.3. Transport hazard class(es)

- Classification :



3

#### 14.4. Packing group

III

#### 14.5. Environmental hazards

- Environmentally hazardous material :



#### 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	F1	III	3	30	5 L	601	E1	3	D/E
										_
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation	
								Handling		
	3	-	III	5 L	F-E, S-D	223 955	E1	Category A	-	
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	3	-	III	355	60 L	366	220 L	A3	E1	
	3	-	III	Y344	10 L	-	-	A3	E1	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

### - 66

Version 11.8 (12/08/2021) - Page 9/9

#### **SECTION 15 : REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)

- Container information: No data available.

- Particular provisions :

No data available.

#### 15.2. Chemical safety assessment

No data available.

# SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### Abbreviations :

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS02 : Flame

GHS07 : Exclamation mark

GHS08 : Health hazard

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.