

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier CAS EU: 8015-01-8 CSA TSCA: 84082-58-6 EINECS-ELINCS: 282-004-4 REACH: 01-2120763570-55 Product name: MARJORAM OIL Taxonomy: *Origanum marjorana* Product code : OM

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Ingredient used in Flavour and/or Fragrance preparations.

# **1.3.** Details of the supplier of the safety data sheet

Registered company name : HERBAL FAMILY Group. Address : Industrial zone B & C piece 203 - Obour Cuty, Cairo - Egypt. .18111... Telephone : +202 4478 7540/48. Fax : +202 4478 8899. Email: hfg@herbalfamilyegypt.com Website: www.herbalfamilyegypt.com Distributor : HERBAL FAMILY France. Address : 400 Avenue Roumanille Quartier Des Templiers Zac St. Philippe II -06410 Biot B.P 06906 Sophia Antipolis Tèl : 003 492 60 7654 **1.4. Emergency telephone number : +2 0128 403 1111** 

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

#### **>SECTION 2 : HAZARDS IDENTIFICATION**


# 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).
Skin irritation, Category 2 (Skin Irrit. 2, H315).
Eye irritation, Category 2 (Eye Irrit. 2, H319).
Skin sensitisation, Category 1B (Skin Sens. 1B, H317).
Aspiration hazard, Category 1 (Asp. Tox. 1, H304).
Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

#### 2.2. Label elements

## > In compliance with EC regulation No. 1272/2008 and its amendments.



	EC 202-796-7 CAS 87-44-5 EC 201-291-9 EC 204-872-5 EC 207-431-5	PARA-CYMENE BETA-CARYOPHYLLENE PIN-2(3)-ÈNE B-PINENE CINÉOLE
	Hazard statements :	
	H226	Flammable liquid and vapour.
	H304	May be fatal if swallowed and enters airways.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
	H411	Toxic to aquatic life with long lasting effects.
	Precautionary statement	s - Prevention :
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P264	Wash thoroughly after handling.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	Precautionary statement	s - Response :
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor.
	P362 + P364	Take off contaminated clothing and wash it before reuse.
	Precautionary statement	s - Disposal :
	P501	Dispose of contents/container to hazardous or special waste collection point.
•	2.04	

# 2.3. Other hazards

The substance does not fulfil the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances
NoCAS:

NoCAS:	84082-58-6
N° CAS TSCA:	8015-01-8
NoEINECS:	282-004-4
NoREACH:	01-2120763570-55

# Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 562-74-3	GHS07		2-4
EC: 209-235-5	Wng		
	Acute Tox. 4, H302		
4-TERPINEOL	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
CAS: 99-85-4	GHS08, GHS02		12-17
EC: 202-794-6	Dgr		
	Flam. Liq. 3, H226		
GAMMA TERPINENE	Asp. Tox. 1, H304		
CAS: 99-86-5	GHS07, GHS09, GHS08, GHS02		7-10
EC: 202-795-1	Dgr		
	Flam. Liq. 3, H226		
ALPHA TERPINENE	Acute Tox. 4, H302		
	Asp. Tox. 1, H304		
	Aquatic Chronic 2, H411		
CAS: 115-95-7	GHS07		0.5-3
EC: 204-116-4	Wng		
	Skin Irrit. 2, H315		
LINALYL ACETATE	Skin Sens. 1, H317		
	Eye Irrit. 2, H319		
CAS: 586-62-9	GHS09, GHS07, GHS08		2-5
EC: 209-578-0	Dgr		
	Asp. Tox. 1, H304		
TERPINOLÈNE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = $1$		

CAS: 98-55-5	GHS07		1-5
EC: 202-680-6	Wng		1-5
EC. 202 000 0	Skin Irrit. 2, H315		
P-MENTH-1-ÈNE-8-OL	Eye Irrit. 2, H319		
CAS: 123-35-3	GHS02, GHS07, GHS08, GHS09		0.5-5
EC: 204-622-5	Dgr		0.5-5
10.1010225	Flam. Liq. 3, H226		
MYRCENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = $1$		
CAS: 555-10-2	GHS08, GHS02		0-5
EC: 209-081-9	Dgr		ů č
20.20,001,	Asp. Tox. 1, H304		
B-PHELLANDRENE	Flam. Liq. 3, H226		
CAS: 78-70-6	GHS07		0-3
EC: 201-134-4	Wng		0.5
REACH: 01-2119474016-42	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
LINALOOL	Eye Irrit. 2, H319		
CAS: 5989-27-5	GHS07, GHS09, GHS08, GHS02	[1]	0-4
EC: 227-813-5	Dgr	[1+]	
20.22, 010 0	Flam. Liq. 3, H226		
D-LIMONENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = $1$		
CAS: 99-87-6	GHS09, GHS08, GHS02		0.5-2
EC: 202-796-7	Dgr		0.5 2
	Flam. Liq. 3, H226		
PARA-CYMENE	Asp. Tox. 1, H304		
	Aquatic Chronic 2, H411		
CAS: 87-44-5	GHS07, GHS08, GHS09		1-4
	Dgr		
BETA-CARYOPHYLLENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = $1$		
CAS: 80-56-8	GHS07, GHS09, GHS08, GHS02	[1]	0-2
EC: 201-291-9	Dgr	1-1	
REACH: 01-2119519223-49	Flam. Liq. 3, H226		
	Asp. Tox. 1, H304		
PIN-2(3)-ÈNE	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = $1$		
CAS: 127-91-3	GHS08, GHS02, GHS07, GHS09	[1]	0-2
EC: 204-872-5	Dgr	L J	
	Flam. Liq. 3, H226		
B-PINENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = $1$		
			1

CAS: 470-82-6	GHS07, GHS02	0-2.5
EC: 207-431-5	Wng	
	Flam. Liq. 3, H226	
CINÉOLE	Skin Sens. 1B, H317	

#### Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

#### In the event of exposure by inhalation :

Move to fresh air.

#### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

# In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

## No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# SECTION 5 : FIREFIGHTING MEASURES

# Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

# 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)
- powder

Prevent the effluent of fire-fighting measures from entering drains or waterways.

# Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

# 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

# For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

# SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the substance is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this substance.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

# **Fire prevention :**

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Never inhale this substance.

Prevent the accumulation of electrostatic charges with connections to earth.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

#### **Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this substance.

# Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the substance is used.

Never open the packages under pressure.

#### 7.2. Conditions for safe storage, including any incompatibilities

## No data available.

#### Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

#### Packaging

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

Odorous substance and taste.

# SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

#### **Occupational exposure limits :**

#### - Germany - AGW (BAuA - TRGS 900, 29/01/2018) :

CAS	VME :	VME :	Excess	Notes	]
5989-27-5		5 ppm		4(II)	
		28 mg/m <sup>3</sup>			
- Belgium (Arrêté d	u 09/03/2014, 2	014):			-
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
80-56-8	20 ppm				
- Spain (Instituto Na	acional de Segui	ridad e Higiene	en el Trabajo (I	NSHT), 2017) :	
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
5989-27-5	30 ppm			Sen, via	
	168 mg/m <sup>3</sup>			dermica	
80-56-8	20 ppm			Sen	
	113 mg/m <sup>3</sup>				
127-91-3	20 ppm			Sen	
	113 mg/m <sup>3</sup>				
- Switzerland (SUVAPRO 2017) :					
(a) a	1				1

CAS	VME	VLE	Valeur plafond Notations
5989-27-5	7 ppm	14 ppm	S SSC
	40 mg/m <sup>3</sup>	80 mg/m <sup>3</sup>	

## 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)
- Recommended properties :
- Impervious gloves in accordance with standard EN374

# - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not specified.
Flash Point :	57.00 °C.
Vapour pressure (50°C) :	Not relevant.
Density :	0.8900 - 0.9060 (20°C)
Water solubility :	Insoluble.
Viscosity:	v < 7 mm2/s (40°C)
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
Index of refraction :	1.4650 - 1.4750 (20°C)
9.2. Other information	

# 9.2. Other information

No data available.

# >SECTION 10 : STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid :

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces

#### > 10.5. Incompatible materials

- Keep away from :
- alkali metals
- oxidising agents
- strong acids

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### SECTION 11 : TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

May cause an allergic reaction by skin contact.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

#### 11.1.2 Complex substance

#### Acute toxicity :

Oral route :

No observed effect. Species : Rat LD50 = 5000 mg/kg

# Aspiration hazard :

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

#### Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

# SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

## 12.1. Toxicity

Toxicity to daphnia / other aquatic invertebrates:

Algal toxicity:

#### 12.1.2 Complex substance

No aquatic toxicity data available for the substances.

12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

## Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

# CE50=5.8 mg/l/48 h

CEr50=6.8 mg/l /72 h

#### >SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

# > 14.1. UN number

1169

# > 14.2. UN proper shipping name

UN1169=EXTRACTS, AROMATIC, LIQUID

14.3. Transport hazard class(es)

#### - Classification :



3

14.4. Packing group

III

#### 14.5. Environmental hazards

- Environmentally hazardous material :



#### 14.6. Special precautions for user

>	ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
•		3	F1	III	3	30	5 L	601	E1	3	D/E
		•									
>	IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
-		3	-	III	5 L	F-E,S-D	223 955	E1			
								•	_		
	IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
		3	-	III	355	60 L	366	220 L	A3	E1	7
		3	-	III	Y344	10 L	-	-	A3	E1	7

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

# **SECTION 15 : REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2017/776 (ATP 10)
- Container information: No data available.
- **Particular provisions :** No data available.
- NU uata available.
- 15.2. Chemical safety assessment

No data available.

# **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

# Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

# Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS02 : Flame

GHS07 : Exclamation mark

GHS08 : Health hazard

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.