

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

CAS EU: 72968-50-4 CSA TSCA: 8016-38-4 **EINECS-ELINCS: 277-143-2**

Product name: NEROLI ESSENTIAL OIL Taxonomy: Citrus aurantium var. Amara

Product code: CA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Ingredient used in Flavor and/or Fragrance preparations.

1.3. Details of the supplier of the safety data sheet

Registered company name: HERBAL FAMILY Group.

Address: Industrial zone B & C piece 203 - Obour Cuty, Cairo - Egypt. .18111...

Telephone: +202 4478 7540/48. Fax: +202 4478 8899.

hfg@herbalfamilyegypt.com www.herbalfamilyegypt.com

Distributor: HERBAL FAMILY France.

Address: 400 Avenue Roumanille Quartier Des Templiers Zac St. Philippe II -06410 Biot B.P 06906 Sophia Antipolis

Tèl: 003 492 60 7654

1.4. Emergency telephone number: +2 0128 403 1111

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:







GHS07





GHS02

DANGER

EC 225-004-1

Signal Word:

GHS05

Product identifiers (list of classified components):

LINALOOL EC 201-134-4

EC 204-116-4 LINALYL ACETATE EC 227-813-5 **D-LIMONENE** EC 203-377-1 **GERANIOL** EC 204-872-5 **BETA-PINENE** EC 203-341-5 **GERANYL ACETATE** EC 230-597-5 **NEROLIDOL** EC 205-459-2 NERYL ACETATE

FARNESOL

EC 203-378-7 NEROL

EC 201-746-1 BETA-CARYOPHYLLENE

EC 201-291-9 ALPHA PINENE

Hazard statements:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

The substance does not fulfil the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 78-70-6	GHS07		30 - 45
EC: 201-134-4	Wng		
	Skin Irrit. 2, H315		
LINALOOL	Skin Sens. 1B, H317		
	Eye Irrit. 2, H319		
CAS: 115-95-7	GHS07		10 - 24
EC: 204-116-4	Wng		
	Skin Irrit. 2, H315		
LINALYL ACETATE	Skin Sens. 1B, H317		
	Eye Irrit. 2, H319		
CAS: 5989-27-5	GHS08, GHS02, GHS07, GHS09	[1]	6 - 10
EC: 227-813-5	Dgr		
	Asp. Tox. 1, H304		
D-LIMONENE	Flam. Liq. 3, H226		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 98-55-5	GHS07		4 - 7
EC: 202-680-6	Wng		
	Skin Irrit. 2, H315		
ALPHA TERPINEOL	Eye Irrit. 2, H319		
CAS: 106-24-1	GHS07, GHS05		1 - 3
EC: 203-377-1	Dgr		
	Skin Irrit. 2, H315		
GERANIOL	Skin Sens. 1, H317		
	Eye Dam. 1, H318		

CAS: 127-91-3	GHS02, GHS07, GHS08, GHS09	[1]	3 - 7
EC: 204-872-5	Dgr Flam. Liq. 3, H226		
BETA-PINENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315 Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
CAS: 105-87-3	M Chronic = 1 GHS07		1 - 4
EC: 203-341-5	Wng		1 - 4
200 201 0	Skin Irrit. 2, H315		
GERANYL ACETATE	Skin Sens. 1B, H317		
CAS: 122 25 2	Aquatic Chronic 3, H412		0 - 2.5
CAS: 123-35-3 EC: 204-622-5	GHS02, GHS07, GHS08, GHS09 Dgr		0 - 2.3
2010223	Flam. Liq. 3, H226		
MYRCENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Eye Irrit. 2, H319 Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 7212-44-4	GHS07, GHS09		0 - 2.5
EC: 230-597-5	Wng		
NEROLIDOL	Skin Sens. 1B, H317 Eye Irrit. 2, H319		
NEROLIDOL	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
G1G 141 12 0	M Chronic = 1		0.2
CAS: 141-12-8 EC: 205-459-2	GHS07 Wng		0 - 3
EC. 203-439-2	Skin Sens. 1B, H317		
NERYL ACETATE	,		
CAS: 4602-84-0	GHS07		1 - 3
EC: 225-004-1	Wng		
FARNESOL	Skin Irrit. 2, H315 Skin Sens. 1B, H317		
THRUESOE	Eye Irrit. 2, H319		
CAS: 106-25-2	GHS07		0 - 2.5
EC: 203-378-7	Wng		
NEROL	Skin Irrit. 2, H315 Skin Sens. 1, H317		
NEKOL	Eye Irrit. 2, H319		
CAS: 3338-55-4	GHS07, GHS09, GHS08, GHS02		0 - 2.5
EC: 222-081-3	Dgr		
(Z) DETA OCH (ENE	Flam. Liq. 3, H226		
(Z)-BETA OCIMENE	Asp. Tox. 1, H304 Skin Irrit. 2, H315		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 87-44-5	GHS07, GHS08		0 - 2.5
EC: 201-746-1	Dgr Asp. Tox. 1, H304		
BETA-CARYOPHYLLENE	Skin Sens. 1B, H317		
	Aquatic Chronic 4, H413		
CAS: 99-87-6	GHS09, GHS08, GHS02	[2]	0 - 2.5
EC: 202-796-7	Dgr		
PARACYMENE	Flam. Liq. 3, H226 Asp. Tox. 1, H304		
	Repr. 2, H361		
	Aquatic Chronic 2, H411		

CAS: 80-56-8	GHS07, GHS09, GHS08, GHS02	[1]	0 - 2
EC: 201-291-9	Dgr	'	
	Flam. Liq. 3, H226		
ALPHA PINENE	Acute Tox. 4, H302		
	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 99-85-4	GHS08, GHS02	[2]	0 - 2
EC: 202-794-6	Dgr		
	Flam. Liq. 3, H226		
GAMMA TERPINENE	Asp. Tox. 1, H304		
	Repr. 2, H361		
CAS: 13466-78-9	GHS07, GHS09, GHS08, GHS02	[1]	0 - 2.5
EC: 236-719-3	Dgr		
	Flam. Liq. 3, H226		
DELTA-3-CARENE	Asp. Tox. 1, H304		
	Skin Irrit. 2, H315		
	Skin Sens. 1, H317		
	Acute Tox. 4, H332		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

Information on ingredients:

- [1] Substance for which maximum workplace exposure limits are available.
- [2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

Remove to fresh air. Give oxygen and call a physician.

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the substance is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this substance.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Remove contaminated clothing and protective equipment before entering eating areas.

Provide emergency showers and eye wash stations will be required in facilities where the substance is handled constantly.

Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Never inhale this substance.

Prevent the accumulation of electrostatic charges with connections to earth.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this substance at all times.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the substance is used.

Never open the packages under pressure.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME:	VME:	Excess	Notes
5989-27-5		5 ppm		4(II)
		28 mg/m ³		

- Spain (Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT), 2017) :

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
5989-27-5	30 ppm			Sen. via	
	168 mg/m ³			dermica	
127-91-3	20 ppm			Sen	
	113 mg/m ³				
80-56-8	20 ppm			Sen	
	113 mg/m ³				
13466-78-9	20 ppm			Sen	
	113 mg/m^3				

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Insoluble.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Where ventilation (LEV) is inadequate to prevent any inhalation of substances, use adequate respiratory apparatus.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: Not relevant. Boiling point/boiling range: Not specified. Flash Point: $60.00 \, ^{\circ}\text{C}$. Vapour pressure (50°C): Not relevant. Density: CoA

 $\begin{tabular}{lll} Viscosity: & v < 7 mm2/s (40 {\rm ^{\circ}C}) \\ Melting point/melting range: & Not specified. \\ Self-ignition temperature: & Not specified. \\ Decomposition point/decomposition range: & Not specified. \\ \end{tabular}$

9.2. Other information

Water solubility:

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- accumulation of electrostatic charges.
- heating
- heat

- flames and hot surfaces

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

May cause an allergic reaction by skin contact.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

11.1.2 Complex substance

Aspiration hazard:

May be fatal if swallowed and enters airways.

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 123-35-3: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12: ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2 Complex substance

No aquatic toxicity data available for the substances.

12.2. Persistence and degradability

12.2.1. Substances

DELTA-3-CARENE (CAS: 13466-78-9)

Biodegradability:

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2020).

14.1. UN number

1169

14.2. UN proper shipping name

UN1169=EXTRACTS, AROMATIC, LIQUID

14.3. Transport hazard class(es)

- Classification:



3

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

ADR/RII	D Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	F1	III	3	30	5 L	601	E1	3	D/E
•				•		,			•	
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation	
I								TT 11'		

	, _tv.	111	MDG	Class	Z Label	rack gi.	LQ	EMS	FIOVIS.	EQ	Handling	Segregation
1	, -			3	-	III	5 L		223 955	E1	Category A	-

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	3	-	III	355	60 L	366	220 L	A3	E1
	3	-	III	Y344	10 L	-	-	A3	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)

- Container information:

No data available.

- Particular provisions:

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Abbreviations:

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS02 : Flame GHS05 : Corrosion GHS07 : Exclamation mark

GHS07: Exclamation mark GHS08: Health hazard GHS09: Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.